

SAFETY DATA SHEET

CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD (HCS) 29 CFR 1910.1200

Page 1 of 5

Revision Date Supersedes Date

7/26/2018 10/12/2015

SECTION 1. IDENTIFICATION

Product identifier: JAX Magna-Plate® 300

03002 Part number:

Identified uses: Lubricant where there is no possibility of contact with food

Uses advised against: Any use not specified above, or any use specified against elsewhere in this SDS.

JAX INC Supplier:

> W134 N5373 Campbell Drive Menomonee Falls, WI 53051 USA

Email contact: info@jax.com

Non-emergency Phone: 262-781-8850

contact:

INFOTRAC: Emergency telephone:

> North America 1-800-535-5053 Australia 1-300-366-961 Germany 0800-181-2926

International 011-1-352-323-3500 (collect) China 400-120-0761

Fax: 262-781-3906

SECTION 2. HAZARD(S) IDENTIFICATION

Classification: Eye Damage/Irritation Cat. 2

Label elements

Pictograms:



Warning Signal word:

Hazard statements: Causes serious eye irritation.

Precautionary Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye

statements: protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Hazards not otherwise Not applicable.

classified:

Additional information: Causes mild skin irritation.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Composition: Chemical name CAS# **Impurities** <u>%</u> Zinc dialkyl dithiophosphate 1-5 68649-42-3 None Proprietary Mineral oil Mixture None Proprietary Calcium carbonate (dust) 471-34-1 None Proprietary Molybdenum disulfide 1317-33-5 None Proprietary 7782-42-5 Graphite None

SECTION 4. FIRST-AID MEASURES

First aid measures

Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation Eye contact:

persists, consult a physican.

Skin contact: Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before

reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

Ingestion: If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention.

Never give anything by mouth to an unconscious person. Consult a physician.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention

immediately.

Most important Causes serious eye irritation.

Revision Date Supersedes Date

7/26/2018 10/12/2015

symptoms and effects, both acute and delayed:

Indication of any

See First aid measures (above).

immediate medical attention and special treatment available:

General information: No further relevant information available.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Extinguishing media include dry chemical, alcohol foam, and carbon dioxide. Do not use direct stream of water. Water may be used to keep fire-exposed containers cool.

Unsuitable

Do not use direct stream of water.

extinguishing media:

Specific hazards: Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep containers cool.

Advice for firefighters:

Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined space or as otherwise needed.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

Methods for containment and cleaning up

Land spill: Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal.

Water spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

SECTION 7. HANDLING AND STORAGE

Precautions for safe

handling:

Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F). Store away from oxidizing agents. Rotate stock.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace exposure limits:

Chemical name

Mineral oil

Zinc dialkyl dithiophosphate Not available 5 mg/m³ (mist), OSHA

Calcium carbonate (dust)

TWA (respirable) = 5 mg/m^3 (NIOSH REL)

Exposure limit and source

Molybdenum disulfide

Short-term value = 20 mg/m³, as Mo Long-term value = 10 mg/m³, as Mo

Graphite 15 mg/m3, OSHA TWA

Exposure controls

Engineering controls: Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapors below their respective

occupational exposure limits.

Ventilation: Use in a well-ventilated area. See Engineering Controls.

Personal hygiene: Wash skin thoroughly after contact, before breaks and meals and at the end of the work period. Product is readily removed

from skin by waterless hand cleaners followed by washing thoroughly with soap and water.

Eye protection: Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.

Hand protection: Any lined non-permeable rubber gloves.

Respiratory protection: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or

Page 3 of 5 JAX Magna-Plate® 300

Revision Date Supersedes Date

7/26/2018 10/12/2015

local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Gray-black tacky lubricating grease with bland Appearance / odor:

Semi-solid **Physical state:** Vapor pressure:

Odor threshold: Not available

Not available pH:

Melting / freezing point: Not available

Initial boiling point Not available

and boiling range:

Evaporation rate:

Flash point: 430°F (221°C), ASTM D 92

Flammability (solid, gas): Not applicable Upper flammability limit: Not available

Lower flammability limit: Not available

Not available

Vapor density: Not available

Relative density: 0.91 (typical)

Insoluble Solubility in water:

Partition coefficient Not available

(n-octanol/water):

Autoignition temperature: Not available

Decomposition temperature: Not available

Viscosity: Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions. Stable under recommended conditions. Chemical stability:

Not available

Possibility of

hazardous reactions:

Conditions and materials to avoid:

decomposition products:

Hazardous

Avoid open flames and strong oxidizers.

Hazardous reactions are not expected to occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eve contact: Causes serious eye irritation. Skin contact: Causes mild skin irritation.

Inhalation: No known significant effects or critical hazards. No known significant effects or critical hazards. Ingestion:

LC₅₀ Components Component LD₅₀

Carbon monoxide; oxides of phosphorus; nitrogen oxides (NOx).

information: Zinc dialkyl dithiophosphate 3100 mg/kg (oral, rat) Not available

> Mineral oil Not available Not available Not available Not available Calcium carbonate (dust) Molybdenum disulfide Not available Not available Graphite Not available Not available

Information on physical, chemical and toxicological effects

Symptoms: See Section 4 of this SDS for symptoms.

Delayed and immediate effects, and chronic effects, from short and long-terms exposure

Effects: Causes serious eye irritation. Causes mild skin irritation.

Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

Numerical measures of Not determined

toxicity:

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity: Not available

Page 4 of 5 JAX Magna-Plate® 300

Revision Date Supersedes Date 7/26/2018 10/12/2015

L(E)C₅₀ Component Components information:

Zinc dialkyl dithiophosphate Not available Mineral oil Not available Calcium carbonate (dust)

Not available Molybdenum disulfide Not available Graphite Not available

Persistence and degradability:

Not determined

Bioaccumulative

Not determined

potential:

Mobility in soil: Not available Other adverse effects: Not determined

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Waste treatment

methods: Consult national or regional authorities for proper disposal and reporting procedures.

SECTION 14. TRANSPORTATION INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

	Proper Shipping Name:	<u>UN Number:</u>	Class:	Group:	Remarks:
<u>U.S. D.O.T.</u>	Not regulated	None	None	None	None
ADR/RID	Not regulated	None	None	None	None
<u>IMDG</u>	Not regulated	None	None	None	None
<u>IATA</u>	Not regulated	None	None	None	None

SECTION 15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA Section 302 **Extremely Hazardous**

CERCLA Hazardous

This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List:

None Substances:

SARA Section 304

Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to

reporting to the National Response Center under CERCLA:

Substances: None

SARA Section 313 Toxic This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations:

Chemicals: Zinc compounds, present at 1.8%

TSCA Inventory: All components are either listed or exempted from listing on the TSCA Inventory.

U.S. State Regulations

California Proposition

This product contains chemical(s) known to the State of California to cancer, birth defects, or other reproductive harm.

65 Status:

California Naphthalene

Proposition 65 Listed Components:

International Regulations

Canada: This product has been classified in accordance with the hazard criteria of WHMIS 2015 and the SDS contains all of the

information required by those regulations.

Japan MITI: Not available Australia: Not available Switzerland: Not available

SECTION 16. OTHER INFORMATION

Sections Revised: Section 15 JAX Magna-Plate® 300
Page 5 of 5
Revision Date

Revision Date 7/26/2018 Supersedes Date 10/12/2015

Revision Date: 7/26/2018

The information and recommendations contained herein are, to the best of JAX INC's knowledge and belief, accurate and reliable as of the date issued. JAX INC makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and JAX INC shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with JAX INC's interpretation of the available data.

*** END OF SDS ***